

Mark Scheme (Results)

March 2012

GCSE Mathematics (1380) Foundation
Paper 1F (Non-Calculator)

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can speak directly to the subject team at Pearson about Edexcel qualifications. Their contact details can be found on this link:

www.edexcel.com/teachingservices

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

March 2012

Publications Code UG031114

All the material in this publication is copyright

© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

1 **Types of mark**

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

2 **Abbreviations**

cao – correct answer only

ft – follow through

isw – ignore subsequent working

SC: special case

oe – or equivalent (and appropriate)

dep – dependent

indep – independent

3 **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

4 **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

5 **Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

6 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

7 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

8 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

9 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.


10 Money notation

Accepted with and without the “p” at the end.

11 Range of answers

Unless otherwise stated, when any answer is given as a range (e.g. 3.5 – 4.2) then this is inclusive of the end points (e.g. 3.5, 4.2) and includes all numbers within the range (e.g. 4, 4.1).

1380_1F					
Question		Working	Answer	Mark	Notes
1	(a)		430	1	B1 cao
	(b)		1.8	1	B1 cao
	(c)	340	340 correctly marked	1	B1 cao
	(d)	4.9	4.9 correctly marked	1	B1 cao
2	(a)		480	1	B1 cao
	(b)	$\begin{array}{r} 205 \\ - 37 \\ \hline 168 \end{array}$ <p>OR</p> $\begin{array}{r} 205 \\ - 147 \\ \hline 168 \end{array}$ <p>OR</p> $\begin{array}{r} 37 + 63 = 100 \\ 100 + 100 = 200 \\ 200 + 5 = 205 \end{array}$	168	2	M1 for decomposition method A1 cao OR M1 for equal addition method A1 cao OR M1 for addition method to reach 100, 200 and 205 A1 cao SC: B1 for 2 digits correct in the answer with answer less than 205
	(c)		54	1	B1 cao

1380_1F																					
Question	Working					Answer	Mark	Notes													
3	(a)						Correct diagram	1	B1 cao (may be amended pattern 3)												
	(b)	<table border="1" data-bbox="376 451 871 588"> <tr> <td>Pattern Number</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>Number of sticks</td> <td>5</td> <td>9</td> <td>13</td> <td>17</td> <td>21</td> </tr> </table>					Pattern Number	1	2	3	4	5	Number of sticks	5	9	13	17	21	17, 21	2	B1 for 17 or ft diagram B1 for 21 or '17'+4 evaluated
	Pattern Number	1	2	3	4	5															
	Number of sticks	5	9	13	17	21															
(c)						33	1	B1 cao													
(d)						No + reason	1	B1 e.g. all number are sticks are odd													
4	(a)						26 15	2	B1 cao B1 cao												
	(b)						+ 6 or $\times 1.3$	1	B1 for + 6 or $\times 1.3$												
5	(a)						Correct matching	3	B3 for all 4 correct (B2 for 2 or 3 correct) (B1 for 1 correct)												
	(b)						6	1	B1 cao												

1380 1F					
Question		Working	Answer	Mark	Notes
6	(a)	$\frac{8}{10}$	$\frac{4}{5}$	2	B2 cao (B1 for $\frac{8}{10}$ or 0.8 or 80%) SC: Award B1 for an answer of $\frac{1}{5}$
	(b)	$50 \div 10$ or $\frac{10}{100} \times 50$	5	2	M1 for $50 \div 10$ oe A1 cao (accept 5.00)
	(c)		0.75	1	B1 for 0.75 or .75
7		$24 \div 2 = 12$ $24 \div 3 = 8$ $24 - 12 - 8$ OR $\frac{1}{2} + \frac{1}{3} = \frac{5}{6}$ $\frac{5}{6} \times 24 = 20$ $24 - 20$ or $\frac{1}{6} \times 24 = 4$	4	3	M1 for $24 \div 2$ oe or $24 \div 3$ M1 (dep) for $24 - \frac{24}{2} - \frac{24}{3}$ A1 cao OR M2 for $24 - (\frac{1}{2} + \frac{1}{3}) \times 24$ oe or $\frac{1}{6} \times 24$ oe (M1 for $\frac{1}{2} + \frac{1}{3}$ or $\frac{5}{6}$ seen) A1 cao

1380_1F				
Question	Working	Answer	Mark	Notes
8	$4.8 \times 4 = 19.2$ $3.6 \times 3 = 10.8$ $19.2 + 10.8$ OR $4.8 + 3.6 = 8.4$ $3 \times 8.4 = 25.2$ $25.2 + 4.8$	30.0	2	M1 for adding 4 lots of 4.8 and 3 lots of 3.6 oe A1 cao (accept 30) OR M1 for $4.8 \times 4 + 3.6 \times 3$ A1 cao (accept 30) OR M1 for $(4.8 + 3.6) \times 3 + 4.8$ A1 cao (accept 30)
9	(a)	$4x$	1	B1 cao
	(b)	$3y$	1	B1 cao
	(c)	$8p$	1	B1 cao
10	$400 + 400 = 800$ $800 \times 5 = 4000$ $4000 \div 1000$ OR $400 \text{ m} = 0.4 \text{ km}$ $0.4 + 0.4 = 0.8$ 0.8×5	4	3	M2 for $5 \times (400 + 400)$ oe (= 4000) or $5 \times (400 \div 1000)$ oe (= 2) or $5 \times 400 + 5 \times 400$ oe (= 4000) or adding 400 ten times (= 4000) (M1 for $400 + 400$ oe (= 800) or $400 \div 1000$ oe (= 0.4) or 5×400 oe (= 2000) A1 cao

1380_1F					
Question		Working	Answer	Mark	Notes
11	(a)	$10 \times 4 = 40$	40	2	M1 for 10×4 A1 cao
	(b)		Length 20 Width 8	2	M1 for 10×2 or 4×2 or sight of 20 or 8 A1 cao
12	(a)		12	1	B1 cao
	(b)		9	1	B1 cao
	(c)		Thursday: 4 circles	1	B1 for 4 circles oe
	(d)		Friday: 2 circles, 1 semicircle	1	B1 for 2 circles, 1 semicircle oe
13	(a)		Row A	1	B1 for Row A (accept A)
	(b)		19	1	B1 cao
	(c)		1 or 100 or both	1	B1 for 1 or 100 or both
	(d)		128	1	B1 cao

1380_1F					
Question		Working	Answer	Mark	Notes
14	(a)		180	1	B1 180
	(b)(i)		40	2	B1 cao
	(ii)	Vertically opposite angles are equal or sight of 140 and sum of angles on a straight line is 180	Reason		B1 eg vertically <u>opposite</u> angles are equal eg sight of <u>140</u> and sum of angles on a straight <u>line</u> is <u>180</u>
	(c)		10	1	B1 cao
	(d)	180 – 80 – 40	60	2	M1 for 180 – 80 – ‘40’ A1 ft from ‘40’
15	(a)	(S, C) (S, F) (S, O) (M, C) (M, F) (M, O)	list of 6 meals	2	B2 cao (B1 for at least 3 more correct pairs and no incorrect pairs or all correct pairs with repeats)
	(b)		$\frac{1}{6}$	1	B1 ft from (a)
	(c)		Reason	1	B1 e.g. lists more than one new combination e.g. there will be 9 different meals e.g. there will be 3 more meals

1380_1F				
Question	Working	Answer	Mark	Notes
16		Correct quadrilateral	4	B1 for AB correct (tol $\pm 2\text{mm}$) B1 for angle A or angle B correct (tol $\pm 2^\circ$) B1 for AD or BC correct (tol $\pm 2\text{mm}$) B1 for fully correct within overlay
17	(a) $\frac{2}{3} \times \frac{9}{10} = \frac{2 \times 9}{3 \times 10} = \frac{18}{30} = \frac{3}{5}$ OR $\frac{2}{3} \times \frac{9}{10} = \frac{21}{31} \times \frac{93}{105} = \frac{3}{5}$	$\frac{3}{5}$	2	M1 for $\frac{2 \times 9}{3 \times 10}$ oe (or $\frac{18}{30}$ or $\frac{9}{15}$ or $\frac{6}{10}$) A1 cao OR M1 for at least one correct cancel A1 cao
	(b) $7 \times \frac{2}{3} = \frac{14}{3}$ OR $\frac{2}{3} + \frac{2}{3} + \frac{2}{3} + \frac{2}{3} + \frac{2}{3} + \frac{2}{3} + \frac{2}{3}$	$4\frac{2}{3}$	2	M1 for $7 \times \frac{2}{3}$ A1 for $4\frac{2}{3}$ oe or $\frac{14}{3}$ oe or 4.66 to 4.67 OR M1 for $\frac{2}{3}$ added 7 times A1 for $4\frac{2}{3}$ oe or $\frac{14}{3}$ oe or 4.66 to 4.67

1380_1F				
Question	Working	Answer	Mark	Notes
18	(a)(i)	$\frac{5}{12}$	3	B1 for $\frac{5}{12}$ oe
	(ii)	$\frac{7}{12}$		M1 for $1 - \frac{5}{12}$, or $\frac{6+1}{5+6+1}$ or $\frac{7}{n}$ where $n > 7$ or $\frac{k}{12}$ where $k < 12$ A1 for $\frac{7}{12}$ oe eg. 0.58(33...) or ft (i) SC : Award B1 for 7 : 12 or 7 out of 12 or 7 in 12 oe
	(b)	4	2	M1 for $\frac{1}{3} = \frac{5}{15}$ or 15 seen or 3 more green A1 cao OR M1 for $\frac{x+12}{5} = 3$ A1 cao SC : Award B1 for an answer of $\frac{4}{15}$

1380_1F				
Question	Working	Answer	Mark	Notes
19	$\frac{60.2 \times 0.799}{223} \approx$ $\frac{60 \times 0.8}{200} = \frac{48}{200} = 0.24$	0.24	3	B1 for any two of 60, 0.8, 200 seen or 48 seen M1 for at least one of 60, 0.8, 200 and a correct method to begin to evaluate eg. the numerator may be correctly evaluated or a correctly simplified fraction (NB. fraction may not be fully simplified) A1 for answer in the range 0.15 to 0.3 from correct working
20	(a) $13x + 1 = 11x + 8$ $13x - 11x = 8 - 1$	3.5	2	M1 for showing the intention to isolate either the algebraic or the numerical terms in an equation e.g. $13x - 11x$ or $8 - 1$ A1 for 3.5 or $3\frac{1}{2}$ or $\frac{7}{2}$ oe
	(b) $2y = 4 \times 5$	10	2	M1 for multiplying both sides by 5 or dividing both sides by 2 A1 cao OR M1 for $y = 4 \times \frac{5}{2}$ or $y = 4 \div \frac{2}{5}$ A1 cao


1380_1F					
Question		Working	Answer	Mark	Notes
21	(a)		Correct frequency polygon	2	B2 for fully correct polygon. Points plotted at the midpoints $\pm \frac{1}{2}$ square (B1 for all points plotted accurately not joined or one error or one omission in plotting but joined) or all points plotted accurately and joined with first joined to last or all points at the correct heights and consistently within or at the ends of the intervals and joined (can include joining last to first to make a polygon).
	(b)	$20 + 12 + 10 + 8 + 6$	56	2	M1 for $20 + 12 + 10 + 8 + 6$ A1 cao
	(c)		$0 \leq L < 10$	1	B1 for $0 \leq L < 10$ oe
22	(a)		$a + 2b$	2	M1 for $2a - a (= a)$ or $3b - b (= 2b)$ A1 for $a + 2b$ or $1a + 2b$
	(b)		$8m - 12n$	1	B1 cao

1380_1F																							
Question		Working					Answer	Mark	Notes														
23	(a)						150	1	B1 for 150 or 150°														
	(b)						95 + reasons	2	B1 for 95 or 95° B1 for full reasons eg <u>alternate</u> angles are equal and the sum of angles on a straight <u>line</u> is <u>180</u> eg the sum of angles on a straight <u>line</u> is <u>180</u> and <u>corresponding</u> angles are equal eg vertically <u>opposite</u> and <u>co-interior</u> (<u>allied</u>) angles add up to 180														
24	(a)	<table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>y</td> <td>-8</td> <td>-3</td> <td>2</td> <td>7</td> <td>12</td> <td>17</td> </tr> </table>					x	-2	-1	0	1	2	3	y	-8	-3	2	7	12	17	-3, 7, 12	2	B2 for all 3 correct (B1 for 1 or 2 correct)
	x	-2	-1	0	1	2	3																
	y	-8	-3	2	7	12	17																
(b)						Correct graph	2	B2 for correct straight line between $x = -2$ and $x = 3$ (B1 for a line which passes through (0, 2) or for a line with gradient 5 or for at least 5 points from their table plotted correctly $\pm \frac{1}{2}$ square)															
(c)	Read off 10 from graph					1.6	1	B1 for 1.6 ± 0.1 or ft straight line segment with positive gradient ± 0.1															

1380_1F				
Question	Working	Answer	Mark	Notes
25	<p>Area of $ABCD = 12^2 = 144$ $AN = 3$ cm</p> <p>Area of $AND = \frac{1}{2} \times 3 \times 12 = 18$ cm²</p> <p>$MB = 6$ cm, $NB = 9$ cm</p> <p>Area of $MBN = \frac{1}{2} \times 6 \times 9 = 27$ cm²</p> <p>Area of shaded region = $144 - 27 - 18$</p> <p>OR</p> <p>$AN = 3$ cm or $BN = 9$ cm</p> <p>Area of rect X on $CM = 6 \times 9 = 54$</p> <p>Area of triangle Y = $\frac{1}{2} \times 6 \times 9 = 27$</p> <p>Area of top triangle Z = $\frac{1}{2} \times 3 \times 12 = 18$</p> <p>Area of shaded region = $54 + 27 + 18$</p> <p>OR</p> <p>$AN = 3$ cm or $BN = 9$ cm</p> <p>Area of $CNM = \frac{1}{2} \times 6 \times 9 = 27$ cm²</p> <p>Area of $CND = \frac{1}{2} \times 12 \times 12 = 72$ cm²</p> <p>Area of shaded region = $72 + 27$</p>	99	6	<p>B1 for $AN = 3$ or $BN = 9$ or $CM = 6$ or $MB = 6$</p> <p>M1 for area of $ABCD = 12 \times 12$ (= 144)</p> <p>M1 for area of $AND = \frac{1}{2} \times '3' \times 12$ (= 18)</p> <p>M1 for area of $MBN = \frac{1}{2} \times '6' \times '9'$ (= 27)</p> <p>M1 dep on one previous M1 for area of $CMND = '144' - '18' - '27'$</p> <p>A1 cao OR</p> <p>B1 for $AN = 3$ or $BN = 9$ or $CM = 6$ or $MB = 6$</p> <p>M1 for area of rect on $CM = '6' \times '9'$ (= 54)</p> <p>M1 for area of adj $\Delta = \frac{1}{2} \times '6' \times '9'$ (= 27)</p> <p>M1 for area of top $\Delta = \frac{1}{2} \times '3' \times 12$ (= 18)</p> <p>M1 dep on one previous M1 for $'54' + '27' + '18'$</p> <p>A1 cao OR</p> <p>B1 for $AN = 3$ or $BN = 9$ or $CM = 6$ or $MB = 6$</p> <p>M2 for area of $CNM = \frac{1}{2} \times '6' \times '9'$ (= 27)</p> <p>M1 for area of $CND = \frac{1}{2} \times 12 \times 12$ (= 72)</p> <p>M1 dep on one previous M1 for $'72' + '27'$</p> <p>A1 cao</p>


1380_1F				
Question	Working	Answer	Mark	Notes
25 (contd)	<p>OR</p> <p>Area of $PDN = \frac{1}{2} \times 3 \times 12 = 18 \text{ cm}^2$</p> <p>Area of $CMNP = \frac{1}{2} \times (12+6) \times 9$ $= 81 \text{ cm}^2$</p> <p>Area of shaded region $= 18 + 81$</p>			<p>OR</p> <p>B1 for $AN = 3$ or $BN = 9$ or $CM = 6$ or $MB = 6$</p> <p>M1 for area of $PDN = \frac{1}{2} \times 3 \times 12$ (= 18)</p> <p>M2 for area of $CMNP = \frac{1}{2} \times (12+6) \times 9$ (= 81)</p> <p>M1 dep on one previous M1 for '18' + '81'</p> <p>A1 cao</p>

3.




Pattern number 4


5.




16.



21.



24.



25.




Diagram NOT
accurately drawn

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email publication.orders@edexcel.com
Order Code UG031114 March 2012

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

